

# Certificate of Compliance

**Certificate:** 1148229

**Master Contract:** 204767

**Project:** 1148229

**Date Issued:** February 26, 2001

**Issued to:** Camille Bauer AG  
Aargauerstrasse 7  
CH-5610 Wohlen  
SWITZERLAND  
**Attention:** Mr. Volker Pohl

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US'*



**Issued by:** Peter Wong, P.Eng.

**Authorized by:** Nick Alfano  
Operations Manager

**PRODUCTS**

CLASS 8721 04 - LABORATORY ELECTRICAL EQUIPMENT  
CLASS 8721 84 - ELECTRICAL EQUIPMENT FOR LABORATORY USE - CERTIFIED TO U.S. STANDARDS

Multi-transducer; Camille Bauer, SINEAX series Models x5yy, and Ohio Semitronics, Inc., Models DVTR, DCTR, DFT, DFD, DPF, and DPA, may be followed by 3 digits, may be followed by 1 to 3 alphanumeric symbols; double insulated; pollution degree 2; installation category III, Class II, rated 85-250VAC/DC, 50/60Hz, or 24-60VDC, or 24VAC, 50/60Hz, 3VA; max. measuring circuits rated 600VAC, 5A.

Product designation cross reference:

Camille Bauer	OSI	Deviation
SINEAX U553	DVTR	Transducer for voltage
SINEAX I552	DCTR	Transducer for AC current
SINEAX F534	DFT or DFTA	Transducer for measuring frequency
SINEAX F535	DFD	Transducer for measuring frequency difference
SINEAX G536	DPF or DPA	Transducer for phase angle or power factor
SINEAX G537	none	Transducer for phase angle difference

The 'C' and 'US' indicators adjacent to the CSA Mark signify that the product has been evaluated to the applicable CSA and ANSI/UL Standards, for use in Canada and the U.S., respectively. This 'US' indicator includes products eligible to bear the 'NRTL' indicator. NRTL, i.e. National Recognized Testing Laboratory, is a designation granted by the U.S. Occupational Safety and Health Administration (OSHA) to laboratories which have been recognised to perform certification to U.S. Standards.



**Certificate:** 1148229

**Master Contract:** 204767

**Project:** 1148229

**Date:** February 26, 2001

Note: U = voltage, I = current, F = frequency, and G = phase angle.

### **APPLICABLE REQUIREMENTS**

- CAN/CSA-C22.2 No. 1010.1-92 - Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use, Part 1: General Requirements (Includes Amendment 1)
- CAN/CSA-C22.2 No. 1010.1B-97 - Amendment 2 to CAN/CSA-C22.2 No. 1010.1-92, "Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use, Part 1: General Requirements"
- UL Std No. 3101.1 - Electrical Equipment for Laboratory Use; Part 1: General Requirements

### **CONDITIONS OF ACCEPTABILITY**

The equipment is supplied with an approved power supply cord set or power supply cord with plug that is acceptable to the authorities in the country where the equipment is to be used.



## *Supplement to Certificate of Compliance*

**Certificate:** 1148229

**Master Contract:** 204767

*The products listed, including the latest revision described below,  
are eligible to be marked in accordance with the referenced Certificate.*

### **Product Certification History**

---

<b>Project</b>	<b>Date</b>	<b>Description</b>
1148229	February 26, 2001	Original Certification.